

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|----------------|------------------|
| 1 | 280 | bios near3 module\$1 | USPAT; IBM_TDB | 2003/09/23 13:24 |
| 2 | 186 | (bios near3 module\$1) and (lan wan network\$1) | USPAT; IBM_TDB | 2003/09/23 13:00 |
| 3 | 1 | second near (bios near3 module\$1) | USPAT; IBM_TDB | 2003/09/23 13:24 |
| 4 | 5206 | (input/output i/o) near3 module\$1 | USPAT; IBM_TDB | 2003/09/23 13:13 |
| 5 | 172 | second near (bios ((input/output i/o) near3 module\$1)) | USPAT; IBM_TDB | 2003/09/23 13:38 |
| 6 | 39 | (second near (bios ((input/output i/o) near3 module\$1))) and (off-set\$1 offset\$1 (off near set\$1)) | USPAT; IBM_TDB | 2003/09/23 13:25 |
| 7 | 2 | ((second near (bios ((input/output i/o) near3 module\$1))) and (off-set\$1 offset\$1 (off near set\$1))) and (authenticat\$3 authori\$4) | USPAT; IBM_TDB | 2003/09/23 14:33 |
| 8 | 8494 | (input/output i/o) near3 (program module\$1) | USPAT; IBM_TDB | 2003/09/23 13:24 |
| 9 | 146 | second near ((input/output i/o) near3 (program module\$1)) | USPAT; IBM_TDB | 2003/09/23 13:24 |
| 12 | 0 | ((second near ((input/output i/o) near3 (program module\$1))) and (off-set\$1 offset\$1 (off near set\$1))) and (authenticat\$3 authori\$4) | USPAT; IBM_TDB | 2003/09/23 13:39 |
| 13 | 2 | (bios and (second near ((input/output i/o) near3 (program module\$1))) and (off-set\$1 offset\$1 (off near set\$1))) | USPAT; IBM_TDB | 2003/09/23 13:26 |
| 11 | 30 | (second near ((input/output i/o) near3 (program module\$1))) and (off-set\$1 offset\$1 (off near set\$1)) | USPAT; IBM_TDB | 2003/09/23 13:38 |
| 14 | 119 | (subsequent next another mulitple) near (bios ((input/output i/o) near3 module\$1)) | USPAT; IBM_TDB | 2003/09/23 14:56 |
| 15 | 52 | ((subsequent next another mulitple) near (bios ((input/output i/o) near3 module\$1))) and (off-set\$1 offset\$1 (off near set\$1)) | USPAT; IBM_TDB | 2003/09/23 15:33 |
| 16 | 7 | ((subsequent next another mulitple) near (bios ((input/output i/o) near3 module\$1))) and (off-set\$1 offset\$1 (off near set\$1)) and (authenticat\$3 authori\$4) | USPAT; IBM_TDB | 2003/09/23 15:10 |
| 17 | 1 | ("6009520").PN. | USPAT; IBM_TDB | 2003/09/23 13:58 |
| 18 | 4 | ("6038663") or ("6226762") or ("5978912") or ("6324644").PN. | USPAT; IBM_TDB | 2003/09/23 13:58 |
| 10 | 6 | bios and (second near ((input/output i/o) near3 (program module\$1))) | USPAT; IBM_TDB | 2003/09/23 14:14 |
| 19 | 9668 | input near output near (system module program) | USPAT; IBM_TDB | 2003/09/23 14:15 |
| 20 | 1049 | (input near output near (system module program)) and (second near (memory ram rom storage)) | USPAT; IBM_TDB | 2003/09/23 14:17 |
| 21 | 54 | (input near output near (system module program)) near (second another multiple subsequent) | USPAT; IBM_TDB | 2003/09/23 14:16 |
| 22 | 2 | ((input near output near (system module program)) near (second another multiple subsequent)) and (authenticat\$3 authori\$4) | USPAT; IBM_TDB | 2003/09/23 14:17 |
| 23 | 11 | ((input near output near (system module program)) near (second another multiple subsequent)) and (off-set\$1 offset\$1 (off near set\$1)) | USPAT; IBM_TDB | 2003/09/23 14:24 |
| 24 | 72 | (bios near3 module\$1) and (authenticat\$3 authori\$4) | USPAT; IBM_TDB | 2003/09/23 15:00 |
| 25 | 17 | ((bios near3 module\$1) and (authenticat\$3 authori\$4)) and (off-set\$1 offset\$1 (off near set\$1)) | USPAT; IBM_TDB | 2003/09/23 15:01 |

| | | | | |
|----|-------|--|----------------|------------------|
| 26 | 15 | ((bios near3 module\$1) and (authenticat\$3 authori\$4)) and (off-set\$1 offset\$1 (off near set\$1)) and (address\$2 runtime\$1) | USPAT; IBM_TDB | 2003/09/23 14:39 |
| 27 | 6 | ((((bios near3 module\$1) and (authenticat\$3 authori\$4)) and (off-set\$1 offset\$1 (off near set\$1))) and (address\$2 runtime\$1)) and (preboot pre-boot) pas ((preboot pre-boot) adj (authenticat\$3 authoriz\$5 authoris\$5)) | USPAT; IBM_TDB | 2003/09/23 14:50 |
| 28 | 5330 | (bios input/ouput i/o (input adj output)) adj2 (routine\$1 modula\$1 module\$1) | USPAT; IBM_TDB | 2003/09/23 14:53 |
| 29 | 5007 | (ram near2 rom) (second near memory) (second near storage\$1) | USPAT; IBM_TDB | 2003/09/23 14:57 |
| 30 | 65706 | (ram near2 rom) (second near memory) (second near storage\$1) with (routine\$1 modula\$1 module\$1) | USPAT; IBM_TDB | 2003/09/23 14:56 |
| 31 | 2998 | (ram near2 rom) (second near memory) (second near storage\$1) with (routine\$1 modula\$1 module\$1) | USPAT; IBM_TDB | 2003/09/23 14:57 |
| 32 | 1 | (pas ((preboot pre-boot) adj (authenticat\$3 authoriz\$5 authoris\$5))) and ((bios input/ouput i/o (input adj output)) adj2 (routine\$1 modula\$1 module\$1)) and (ram near2 rom) (second near memory) (second near storage\$1) and ((ram near2 rom) (second near memory) (second near storage\$1) with (routine\$1 modula\$1 module\$1)) | USPAT; IBM_TDB | 2003/09/23 14:58 |
| 33 | 3843 | (bios input/ouput i/o (input adj output)) adj2 (modula\$1 module\$1) | USPAT; IBM_TDB | 2003/09/23 15:40 |
| 34 | 658 | (ram near2 rom) (second near memory) (second near storage\$1) and ((bios input/ouput i/o (input adj output)) adj2 (modula\$1 module\$1)) | USPAT; IBM_TDB | 2003/09/23 14:59 |
| 35 | 656 | ((ram near2 rom) (second near memory) (second near storage\$1) and ((bios input/ouput i/o (input adj output)) adj2 (modula\$1 module\$1))) and (module\$1 ((ram near2 rom) (second near memory) (second near storage\$1) WITH ((bios input/ouput i/o (input adj output)) adj2 (modula\$1 module\$1)))) | USPAT; IBM_TDB | 2003/09/23 15:00 |
| 36 | 44 | ((ram near2 rom) (second near memory) (second near storage\$1) and ((bios input/ouput i/o (input adj output)) adj2 (modula\$1 module\$1))) and ((ram near2 rom) (second near memory) (second near storage\$1) WITH ((bios input/ouput i/o (input adj output)) adj2 (modula\$1 module\$1))) | USPAT; IBM_TDB | 2003/09/23 15:30 |
| 37 | 0 | (pas ((preboot pre-boot) adj (authenticat\$3 authoriz\$5 authoris\$5))) and (((ram near2 rom) (second near memory) (second near storage\$1) and ((bios input/ouput i/o (input adj output)) adj2 (modula\$1 module\$1))) and ((ram near2 rom) (second near memory) (second near storage\$1) WITH ((bios input/ouput i/o (input adj output)) adj2 (modula\$1 module\$1)))) | USPAT; IBM_TDB | 2003/09/23 15:14 |
| 39 | 18 | (pas ((preboot pre-boot) adj (authenticat\$3 authoriz\$5 authoris\$5))) and bios and module\$1 | USPAT; IBM_TDB | 2003/09/23 15:37 |
| 40 | 2 | ((pas ((preboot pre-boot) adj (authenticat\$3 authoriz\$5 authoris\$5))) and bios and module\$1) and (off-set\$1 offset\$1 (off near set\$1)) | USPAT; IBM_TDB | 2003/09/23 15:10 |
| 38 | 5 | (pas ((preboot pre-boot) adj (authenticat\$3 authoriz\$5 authoris\$5))) and ((bios input/ouput i/o (input adj output)) adj2 (modula\$1 module\$1)) | USPAT; IBM_TDB | 2003/09/23 15:08 |
| 41 | 30 | module\$1 near3 hdd | USPAT; IBM_TDB | 2003/09/23 15:08 |
| 42 | 1367 | module\$1 near3 rom | USPAT; IBM_TDB | 2003/09/23 15:08 |
| 43 | 2095 | module\$1 near3 ram | USPAT; IBM_TDB | 2003/09/23 15:08 |

| | | | | |
|----|------|---|----------------|---------------------|
| 45 | 343 | (module\$1 near3 rom) and (module\$1 near3 ram) | USPAT; IBM_TDB | 2003/09/23 15:09 |
| 49 | 42 | ((module\$1 near3 rom) and (module\$1 near3 ram)) and (authenticat\$3 authori\$4) | USPAT; IBM_TDB | 2003/09/23 15:34 |
| 52 | 12 | ((module\$1 near3 rom) and (module\$1 near3 ram)) and (authenticat\$3 authori\$4)) and (off-set\$1 offset\$1 (off near set\$1)) | USPAT; IBM_TDB | 2003/09/23 15:14 |
| 53 | 0 | ((module\$1 near3 rom) and (module\$1 near3 ram)) and (authenticat\$3 authori\$4)) and (off-set\$1 offset\$1 (off near set\$1))) and bios execut\$3 near2 bios | USPAT; IBM_TDB | 2003/09/23 15:13 |
| 54 | 744 | | USPAT; IBM_TDB | 2003/09/23 15:14 |
| 56 | 2 | ((pas ((preboot pre-boot) adj (authenticat\$3 authoriz\$5 authoris\$5))) and ((bios input/ouput i/o (input adj output)) adj2 (modula\$1 module\$1))) and (off-set\$1 offset\$1 (off near set\$1)) | USPAT; IBM_TDB | 2003/09/23 15:14 |
| 55 | 5 | ((pas ((preboot pre-boot) adj (authenticat\$3 authoriz\$5 authoris\$5))) and ((bios input/ouput i/o (input adj output)) adj2 (modula\$1 module\$1))) | USPAT; IBM_TDB | 2003/09/23 15:14 |
| 57 | 362 | dynamic\$5 near4 link\$3 near4 (module\$1 modula\$1) | USPAT; IBM_TDB | 2003/09/23 15:35 |
| 58 | 37 | (dynamic\$5 near4 link\$3 near4 (module\$1 modula\$1)) and (preboot pre-boot boot\$2) | USPAT; IBM_TDB | 2003/09/23 15:33 |
| 60 | 19 | ((dynamic\$5 near4 link\$3 near4 (module\$1 modula\$1)) and (preboot pre-boot boot\$2)) and (off-set\$1 offset\$1 (entry near point\$1) (starting near point\$1) (off near set\$1)) | USPAT; IBM_TDB | 2003/09/23 15:37 |
| 61 | 1 | ((dynamic\$5 near4 link\$3 near4 (module\$1 modula\$1)) and (preboot pre-boot boot\$2)) and (off-set\$1 offset\$1 (entry near point\$1) (starting near point\$1) (off near set\$1))) and (authenticat\$3 authori\$4) | USPAT; IBM_TDB | 2003/09/23 15:37 |
| 62 | 365 | dynamic\$5 near4 link\$3 near4 (module\$1 bios modula\$1) | USPAT; IBM_TDB | 2003/09/23 15:36 |
| 63 | 274 | dynamic\$5 near4 link\$3 near4 (storage\$1 memor\$3 ram rom) | USPAT; IBM_TDB | 2003/09/23 15:38 |
| 64 | 19 | (dynamic\$5 near4 link\$3 near4 (storage\$1 memor\$3 ram rom)) and bios and module\$1 | USPAT; IBM_TDB | 2003/09/23 15:37 |
| 66 | 0 | ((dynamic\$5 near4 link\$3 near4 (storage\$1 memor\$3 ram rom)) and bios and module\$1) and (off-set\$1 offset\$1 (entry near point\$1) (starting near point\$1) (off near set\$1))) and (authenticat\$3 authori\$4) | USPAT; IBM_TDB | 2003/09/23 15:40 |
| 65 | 8 | ((dynamic\$5 near4 link\$3 near4 (storage\$1 memor\$3 ram rom)) and bios and module\$1) and (off-set\$1 offset\$1 (entry near point\$1) (starting near point\$1) (off near set\$1))) | USPAT; IBM_TDB | 2003/09/23 15:39 |
| 67 | 1650 | dynamic\$5 near4 link\$3 near4 (library bios) | USPAT; IBM_TDB | 2003/09/23 15:43 |
| 68 | 409 | (dynamic\$5 near4 link\$3 near4 (library bios)) and (authenticat\$3 authori\$4) | USPAT; IBM_TDB | 2003/09/23 15:43 |
| 69 | 186 | ((dynamic\$5 near4 link\$3 near4 (library bios)) and (authenticat\$3 authori\$4)) and (off-set\$1 offset\$1 (entry near point\$1) (starting near point\$1) (off near set\$1)) | USPAT; IBM_TDB | 2003/09/23 15:40 |
| 70 | 0 | ((dynamic\$5 near4 link\$3 near4 (library bios)) and (authenticat\$3 authori\$4)) and (off-set\$1 offset\$1 (entry near point\$1) (starting near point\$1) (off near set\$1))) and ((bios input/ouput i/o (input adj output)) adj2 (modula\$1 module\$1)) | USPAT; IBM_TDB | 2003/09/23 15:39 |

| | | | | |
|----|-----|--|----------------|------------------|
| 71 | 165 | ((bios input/ouput i/o (input adj output)) and (dynamic\$5 near4 link\$3 near4 (storage\$1 memor\$3 ram rom))) | USPAT; IBM_TDB | 2003/09/23 15:40 |
| 72 | 27 | ((bios input/ouput i/o (input adj output)) and (dynamic\$5 near4 link\$3 near4 (storage\$1 memor\$3 ram rom))) and (authenticat\$3 authori\$4) | USPAT; IBM_TDB | 2003/09/23 15:40 |
| 73 | 9 | ((((bios input/ouput i/o (input adj output)) and (dynamic\$5 near4 link\$3 near4 (storage\$1 memor\$3 ram rom))) and (authenticat\$3 authori\$4)) and (off-set\$1 offset\$1 (entry near point\$1) (starting near point\$1) (off near set\$1))) bios and (dynamic\$5 near4 link\$3) | USPAT; IBM_TDB | 2003/09/23 15:44 |
| 74 | 418 | | USPAT; IBM_TDB | 2003/09/23 15:52 |
| 75 | 107 | (bios and (dynamic\$5 near4 link\$3)) and (authenticat\$3 authori\$4) | USPAT; IBM_TDB | 2003/09/23 15:44 |
| 76 | 40 | ((bios and (dynamic\$5 near4 link\$3)) and (authenticat\$3 authori\$4)) and (off-set\$1 offset\$1 (entry near point\$1) (starting near point\$1) (off near set\$1))) | USPAT; IBM_TDB | 2003/09/23 15:44 |
| 77 | 37 | ((((bios and (dynamic\$5 near4 link\$3)) and (authenticat\$3 authori\$4)) and (off-set\$1 offset\$1 (entry near point\$1) (starting near point\$1) (off near set\$1)))) and module\$1 | USPAT; IBM_TDB | 2003/09/23 15:44 |
| 79 | 357 | dynamic\$5 near4 link\$3 near4 module\$1 | USPAT; IBM_TDB | 2003/09/23 15:54 |
| 81 | 0 | (dynamic\$5 near4 link\$3 near4 second near4 module\$1) and bios | USPAT; IBM_TDB | 2003/09/23 15:54 |
| 80 | 6 | dynamic\$5 near4 link\$3 near4 second near4 module\$1 | USPAT; IBM_TDB | 2003/09/23 15:54 |